

502060 TROPIFRUIT GIVCO 205

Revision Date: 05-06-2019 Page 1 of 15

Version # 03 Print Date: 05-06-2019

1. IDENTIFICATION

Product Description: TROPIFRUIT GIVCO 205

CAS # MIXTURE

Other means of identification

Vigon Item # 502060

Recommended use Concentrated aromatic ingredient which may be used fragrance compounds according to legal and

IFRA guidelines.

Recommended restrictions For Manufacturing Use Only

<u>Company</u> <u>24 Hour Emergency Response Information</u>

Vigon International, Inc. INFOTRAC (ACCT# 78928);

127 Airport Road 1-800-535-5053 WITHIN THE U.S.A. 1-352-323-3500 OUTSIDE THE U.S.A.

E. Stroudsburg, PA 18301

For information call: 570-476-6300

Web Site: www.vigon.com

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Vigon International, Inc.

Address 127 Airport Road

E. Stroudsburg, PA 18301

United States

Telephone For information call: 570-476-6300

Website www.vigon.com E-mail Not available.

Emergency phone number INFOTRAC (ACCT# 78928);

1-800-535-5053 WITHIN THE U.S.A. 1-352-323-3500 OUTSIDE THE U.S.A.

2. HAZARD(S) IDENTIFICATION

Physical hazards Flammable liquids Category 3

Health hazards Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2A
Sensitization, skin Category 1

Aspiration hazard Category 1

Environmental hazards Hazardous to the aquatic environment, Category 1

acute hazard

Hazardous to the aquatic environment, Category 1

long-term hazard



502060 TROPIFRUIT GIVCO 205

Revision Date: 05-06-2019 Page 2 of 15

Version # 03 Print Date: 05-06-2019

Label elements



Signal word Danger

Hazard statement Flammable liquid and vapor. May be fatal if swallowed and enters airways. Causes skin irritation.

Causes skin and eye irritation. May cause an allergic skin reaction. Causes serious eye irritation.

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Precautionary statement

Response

Prevention Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use non-sparking tools. Take action to prevent static discharges. Avoid breathing mist or vapor. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the

environment. Wear protective gloves/protective clothing/eye protection/face protection.

IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

In case of fire: Use appropriate media to extinguish. Collect spillage.

Storage Store in a well-ventilated place. Keep cool. Store locked up.

None known.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

ified (HNOC)

Supplemental information 22% of the mixture consists of component(s) of unknown acute oral toxicity. 33% of the mixture

consists of component(s) of unknown acute dermal toxicity. 75.5% of the mixture consists of component(s) of unknown acute inhalation toxicity. 27.5% of the mixture consists of component(s)

of unknown acute hazards to the aquatic environment. 33% of the mixture consists of

component(s) of unknown long-term hazards to the aquatic environment.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures

Chemical name	Common name and synonyms	CAS number	%
CARVENE	DIPENTENE (+)-P-MENTHA-1,8-DIENE (R)-(+)-Limonene (R)-4-Isopropenyl-1-methyl-1-cyclohexen e 1- methyl-4-prop-1-en-2-ylcyclohexene	5989-27-5	10 - < 20
2,6-DIMETHYLHEPTAN-2-OL	2-Heptanol, 2,6-dimethyl- 2- methyl heptanole	13254-34-7	1 - < 10
ALIPHATIC ESTERS			1 - < 10
AROMATIC ESTERS			1 - < 10



502060 TROPIFRUIT GIVCO 205

Revision Date: 05-06-2019 Page 3 of 15

Version # 03 Print Date: 05-06-2019

Chemical name	Common name and synonyms	CAS number	%
BENZYL ACETATE	PHENYL METHYL ACETATE a-acetoxytoluene benzenemethanol acetate benzenemethanol ethanoate benzyl ethanoate	140-11-4	1 - < 10
DIMETHYL OCTENONE	4,7-dimethylocta-6-en-3-one 2-octen-6-one, 2,5-dimethyl 6-Octen-3-one, 4,7-dimethyl- 2,5- dimethyl-2-octen-6-one	2550-11-0	1 - < 10
ETHYL 2-METHYL BUTYRATE	ethyl alpha-methyl butyrate ethyl 2-methyl butanoate 2-methyl butanoic acid ethyl ester	7452-79-1	1 - < 10
ETHYL BUTYRATE	BUTYRIC ETHER ETHYL BUTANOATE ETHYL N-BUTYRATE N-ETHYL BUTYRATE	105-54-4	1 - < 10
GERANYL ACETONE	5,9-Undecadien-2-one, 6,10-dimethyl-6,10-Dimethylundeca-5,9-dien-2-one	689-67-8	1 - < 10
HEXYL CINNAMIC ALDEHYDE	2-(phenylmethylidene)octanal2- benzylidene octanalalpha- hexyl cinnamaldehydehexyl cinnamal	101-86-0	1 - < 10
HEXYL SALICYLATE	hexyl o-hydroxybenzoate hexyl 2-hydroxy-1-benzene carboxylate hexyl 2-hydroxybenzoate	6259-76-3	1 - < 10
LINALOOL	2,6-DIMETHYL-2,7-OCTADIENE-6-OL 1,6-Octadien-3-ol, 3,7-dimethyl- 3,7-Dimethylocta-1,6-dien-3-ol LINALYL ALCOHOL	78-70-6	1 - < 10
LINALYL ACETATE	3,7- dimethylocta-1,6-dien-3-yl acetate (1)-1,5-dimethyl-1-vinyl hex-4-enyl acetat e LINALOOL ACETATE	115-95-7	1 - < 10
NEROLIDOL	3-Hydroxy-3,7,11-trimethyl-1,6, 10-dodecatriene 3,7,11-TRIMETHYLDODECA-1,6,10-TRI EN-3-OL dodecatriene methyl vinyl homogeranyl carbinol	7212-44-4	1 - < 10
METHYL CINNAMATE	methyl 3-phenylprop-2-enoate METHYL-3-PHENYLACRYLAT 3-PHENYLACRYLSAEURE-METHYLEST ER ZIMTSAEURE-METHYLESTER 2-Propenoic acid, 3-phenyl-, methyl ester Methyl 3-phenyl-2-propenoate; Methyl cinnamate	103-26-4	0.1< 1
Other components below reportable	le levels		10 - < 20



502060 TROPIFRUIT GIVCO 205

Page 4 of 15 Revision Date: 05-06-2019

Print Date: 05-06-2019 Version # 03

4. FIRST-AID MEASURES

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

For breathing difficulties, oxygen may be necessary. Call a physician if symptoms develop or

Take off immediately all contaminated clothing. Get medical attention if irritation develops and Skin contact

persists. Wash skin thoroughly with soap and water for several minutes.

Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and Eve contact

persists. Promptly wash eyes with plenty of water while lifting the eye lids.

Call a physician or poison control center immediately. If swallowed, rinse mouth with water (only if Ingestion

the person is conscious). Do not induce vomiting. If vomiting occurs, the head should be kept low

so that stomach vomit doesn't enter the lungs.

Most important

symptoms/effects, acute and

delayed

Aspiration may cause pulmonary edema and pneumonitis. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness

and pain. May cause an allergic skin reaction. Dermatitis. Rash.

Indication of immediate medical attention and special treatment

needed

Not available.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Show this safety data sheet to the doctor in attendance.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from

the chemical

Water spray, fog, CO2, dry chemical, or alcohol resistant foam.

Do not use a solid water stream as it may scatter and spread fire.

Fire may produce irritating, corrosive and/or toxic gases.

Special protective equipment

and precautions for firefighters

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full

facepiece operated in the positive pressure demand mode when fighting fires.

Fire fighting

equipment/instructions

In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Ventilate closed spaces before entering them. Keep run-off water out of sewers and water sources. Dike for water control.

Specific methods Use water spray to cool unopened containers.

General fire hazards Static charges generated by emptying package in or near flammable vapor may cause flash fire.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Eliminate all sources of ignition. Avoid contact with skin or inhalation of spillage, dust or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them.



502060 TROPIFRUIT GIVCO 205

Revision Date: 05-06-2019 Page 5 of 15

Version # 03 Print Date: 05-06-2019

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.

The product is immiscible with water and will spread on the water surface.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Prevent product from entering drains. Absorb in vermiculite, dry sand or earth and place into containers.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. This material and its container must be disposed of as hazardous waste. Collect and dispose of spillage as indicated in section 13 of the SDS.

Environmental precautions

Retain and dispose of contaminated wash water. Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water.

7. HANDLING AND STORAGE

Precautions for safe handling

Do not handle or store near an open flame, heat or other sources of ignition. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Keep container closed. Handle containers with care. Open slowly in order to control possible pressure release. Store in a cool, well-ventilated area.

Value

30 ppm

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits

Components

US. ACGIH Threshold Limit Values

	.,,,,,		
BENZYL ACETATE (CAS	TWA	10 ppm	
140-11-4)			
US. Workplace Environmental Expo	sure Level (WEEL) Guides		
Components	Туре	Value	

CARVENE (CAS TWA 165.5)

CARVENE (CAS TWA 165.5 mg/m3 5989-27-5)

Type

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Use explosion-proof ventilation equipment to stay below exposure limits. Adequate ventilation

should be provided so that exposure limits are not exceeded.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Face shield is recommended.



502060 TROPIFRUIT GIVCO 205

Revision Date: 05-06-2019 Page 6 of 15

Version # 03 Print Date: 05-06-2019

Skin protection

Hand protection Chemical resistant gloves.

Other Use of an impervious apron is recommended.

Respiratory protection Respiratory protection not required. If ventilation is insufficient, suitable respiratory protection must

be provided.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations When using do not smoke. Always observe good personal hygiene measures, such as washing

after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not

be allowed out of the workplace.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Refer to Spec Sheet

Physical state Liquid.
Form Liquid.

Color Refer to Spec Sheet

Odor Characteristic.

Odor threshold Not available.

pH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point 127.0 °F (52.8 °C) Closed Cup

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 0.82 hPa at 20 °C Calculated (94.9 %)

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Insoluble

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.



502060 TROPIFRUIT GIVCO 205

Revision Date: 05-06-2019 Page 7 of 15

Version # 03 Print Date: 05-06-2019

Viscosity Not available.

Other information

Density 948.97 kg/m3 **Explosive properties** Not explosive.

Flammability class Combustible II estimated

Molecular formulaNot applicableOxidizing propertiesNot oxidizing.Specific gravity0.95 at 25 °C

10. STABILITY AND REACTIVITY

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the

flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products if stored and handled as indicated.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Causes skin irritation. May cause an allergic skin reaction.

Eye contact Causes serious eye irritation.

Ingestion Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious

chemical pneumonia.

Symptoms related to the physical, chemical and toxicological characteristics

Aspiration may cause pulmonary edema and pneumonitis. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness

and pain. May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity May be fatal if swallowed and enters airways.

Product Species Test Results

TROPIFRUIT GIVCO 205

Acute

Dermal

LD50 Rabbit > 5000 mg/kg

Inhalation

LC50 Rat > 40 mg/l

Oral

LD50 Rat > 5000 mg/kg



502060 TROPIFRUIT GIVCO 205

Acute
Dermal
LD50

Rabbit

Revision Date: 05-06-2019 Page 8 of 15

Version # 03 Print Date: 05-06-2019

Components **Species Test Results** 2,6-DIMETHYLHEPTAN-2-OL (CAS 13254-34-7) Acute Dermal LD50 Rabbit > 5000 mg/day Oral LD50 Rat > 5000 mg/kg BENZYL ACETATE (CAS 140-11-4) Acute Dermal LD50 Rabbit > 5000 mg/kg CARVENE (CAS 5989-27-5) Acute Dermal LD50 Rabbit 5 g/kg Oral LD50 Rat 4400 mg/kg DIMETHYL OCTENONE (CAS 2550-11-0) Acute Oral LD50 Rat > 5000 mg/kg ETHYL 2-METHYL BUTYRATE (CAS 7452-79-1) Acute Dermal LD50 Rabbit > 2000 mg/kg Method: OECD Test Guideline 402 Oral > 2000 mg/kg Method: OECD Test LD50 Rat Guideline 401 **GERANYL ACETONE (CAS 689-67-8)** Acute Dermal LD50 Rabbit > 5000 mg/kg Oral LD50 Rat > 5000 mg/kg HEXYL CINNAMIC ALDEHYDE (CAS 101-86-0)

> 3000 mg/kg



502060 TROPIFRUIT GIVCO 205

Page 9 of 15 Revision Date: 05-06-2019

Print Date: 05-06-2019 Version #03

Components **Test Results Species**

HEXYL SALICYLATE (CAS 6259-76-3)

Acute

Dermal

Rabbit > 5000 mg/kg

Oral

Rat > 5000 mg/kg

LINALOOL (CAS 78-70-6)

Acute

Oral

LD50 Rat 2790 mg/kg

LINALYL ACETATE (CAS 115-95-7)

Acute

Oral

LD50 Mouse 13.36 g/kg

> Rat > 9000 mg/kg

METHYL CINNAMATE (CAS 103-26-4)

Acute

Oral

LD50

Rat 2610 mg/kg

NEROLIDOL (CAS 7212-44-4)

Acute

Dermal

LD50 Rabbit > 5000 mg/kg

Oral

LD50 Rat > 2610 mg/kg

Skin corrosion/irritation Causes skin irritation.

May cause skin irritation and/or dermatitis.

May cause skin irritation in susceptible persons.

irritation

Serious eye damage/eye

Vapours may cause irritation to the eyes, respiratory system and the skin.

Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization May cause an allergic skin reaction.

Causes sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.



502060 TROPIFRUIT GIVCO 205

Revision Date: 05-06-2019 Page 10 of 15

Version # 03 Print Date: 05-06-2019

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not available.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard May be fatal if swallowed and enters airways.

Chronic effects Prolonged inhalation may be harmful.

12. ECOLOGICAL INFORMATION

Ecotoxicity Very toxic to aquatic life with long lasting effects.

Components	Species	Test Results
O C DIMETUVI LIEDTAN O O	(040 40054 04 7)	

2,6-DIMETHYLHEPTAN-2-OL (CAS 13254-34-7)

Aquatic

Fish LC50 Zebra danio (Danio rerio) > 22 - < 46 mg/l, 96 hours

BENZYL ACETATE (CAS 140-11-4)

Aquatic

Fish LC50 Medaka, high-eyes (Oryzias latipes) > 3.48 - < 4.6 mg/l, 96 hours

CARVENE (CAS 5989-27-5)

Aquatic

Crustacea EC50 Water flea (Daphnia pulex) 69.6 mg/l, 48 hours

Fish LC50 Fathead minnow (Pimephales promelas) > 0.619 - < 0.796 mg/l, 96 hours

Rainbow trout, donaldson trout 35 mg/l, 4 days

(Oncorhynchus mykiss)

Other EC50 Activated Sludge 3.94 mg/l

ETHYL 2-METHYL BUTYRATE (CAS 7452-79-1)

Aquatic

Acute

Crustacea EC50 Daphnia magna > 61.6 mg/l, 48 hours

ETHYL BUTYRATE (CAS 105-54-4)

Aquatic

Crustacea LC50 Water flea (Daphnia magna) 755 mg/l, 24 hours
Fish LC50 Carp (Leuciscus idus melanotus) 53 mg/l, 48 hours



502060 TROPIFRUIT GIVCO 205

Revision Date: 05-06-2019 Page 11 of 15

Version # 03 Print Date: 05-06-2019

Components		Species	Test Results
IEXYL SALICYLATE (C	CAS 6259-76-3)		
Aquatic			
Acute			
Algae	EC50	Green algae (Desmodesmus subspicatus)	0.61 mg/l, 72 hours
Crustacea	EC50	Daphnia magna	1.5 mg/l, 24 hours
INALOOL (CAS 78-70-	6)		
Other	EC10	Activated sludge of a predominantly domestic sewage	> 100 mg/l, 3 hours
Aquatic			
Algae	EC50	Green algae (Chlamydomonas variabilis)	88.3 mg/l, 96 hours DIN 38412 Part 9 static. The details of the toxic effect related to the nominal concentration.
Crustacea	EC50	Daphnia magna	20 mg/l, 48 hours DIN 38412 Part 11 static. The details of the toxic effect related to the nominal concentration.
Fish	LC50	Ide, silver or golden orfe (Leuciscus idus)	> 22 - < 46 mg/l, 96 hours DIN 38412 Part 15 static. The details of the toxic effect related to the nominal concentration.
	LC50-R	Fish	27.8 mg/l, 96 hours
IEROLIDOL (CAS 7212	2-44-4)		
Other	EC20	Activated sludge, industrial	180 mg/l, 0.5 hours OECD Guideline 209 aerobic
Aquatic			
Algae	EC50	Green algae (Desmodesmus subspicatus)	2 mg/l, 72 hours
	NOEC	Green algae (Desmodesmus subspicatus)	0.44 mg/l, 72 hours
Crustacea	EC50	Daphnia magna	0.51 mg/l, 48 hours Directive 79/831/EEC. The details of the toxic effect relate to the nominal concentrati
Fish	LC50	Fathead minnow (Pimephales promelas)	> 1.3 - < 1.58 mg/l, 96 hours The detail of the toxic effect relate to the nominal concentration
	NOEC	Fathead minnow (Pimephales promelas)	0.64 mg/l. 96 hours

Persistence and degradability



502060 TROPIFRUIT GIVCO 205

Revision Date: 05-06-2019 Page 12 of 15

Version # 03 Print Date: 05-06-2019

Biodegradability

Percent degradation (Aerobic biodegradation-ready)

LINALOOL > 60 - < 70 %, Readily biodegradable (according to OECD

criteria).

Result: OECD 301D; EEC 92/69, C4-E (aerobic)

Test Duration: 28 days

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

BENZYL ACETATE 1.96
CARVENE 4.232
ETHYL BUTYRATE 1.73

LINALOOL 2.97, (OECD Guideline 107)

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. DISPOSAL CONSIDERATIONS

Disposal instructionsDo not discharge into drains, water courses or onto the ground. Do not allow this material to drain

into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or

used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulationsDispose in accordance with all applicable regulations.

Hazardous waste code Not established.

Waste from residues / unused

products

Empty containers or liners may retain some product residues. This material and its container must

be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. TRANSPORT INFORMATION

ADN

UN number 1169

UN proper shipping name EXTRACTS, AROMATIC, LIQUID (CARVENE, GERANYL ACETONE)

Transport hazard class(es) 3
Subsidiary class(es) Packing group III
Environmental hazards Yes
Labels required 3

ADR

UN number 1169

UN proper shipping name EXTRACTS, AROMATIC, LIQUID (CARVENE, GERANYL ACETONE)

Transport hazard class(es) 3
Subsidiary class(es) Packing group III
Environmental hazards Yes
Labels required 3



502060 TROPIFRUIT GIVCO 205

Revision Date: 05-06-2019 Page 13 of 15

Version # 03 Print Date: 05-06-2019

RID

UN number 1169

UN proper shipping name EXTRACTS, AROMATIC, LIQUID (CARVENE, GERANYL ACETONE)

Transport hazard class(es) 3
Subsidiary class(es) Packing Group III
Environmental Hazards Yes
Labels required 3

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

DOT

BULK

UN number 1169

Proper shipping name EXTRACTS, AROMATIC, LIQUID (CARVENE, GERANYL ACETONE)

Hazard class 3
Packing group III

Environmental hazards

Marine pollutantYesPackaging exceptions150Packaging bulk242Labels required3

DOT

NON-BULK

Not regulated as dangerous goods.

IATA

UN number 1169

UN proper shipping name EXTRACTS, AROMATIC, LIQUID

Transport hazard class(es) 3
Subsidiary class(es) Packing group III
Environmental hazards No
Labels required 3

IMDG

UN number 1169

UN proper shipping name EXTRACTS, AROMATIC, LIQUID (CARVENE, GERANYL ACETONE)

Transport hazard class(es) 3
Subsidiary class(es) Packing group III

Environmental hazards

Marine pollutant Yes
Labels required 3

Transport in bulk according to Annex II of MARPOL

73/78 and the IBC Code

Not applicable.



502060 TROPIFRUIT GIVCO 205

Revision Date: 05-06-2019 Page 14 of 15

Version # 03 Print Date: 05-06-2019

ADN; ADR; DOT BULK; IATA; IMDG; RID



Marine pollutant



15. REGULATORY INFORMATION

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not available.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

Classified hazard

Flammable (gases, aerosols, liquids, or solids)

categories

Skin corrosion or irritation

Serious eye damage or eye irritation Respiratory or skin sensitization

Aspiration hazard

SARA 313 (TRI reporting)

Not regulated.



502060 TROPIFRUIT GIVCO 205

Revision Date: 05-06-2019 Page 15 of 15

Version # 03 Print Date: 05-06-2019

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

California Proposition 65

California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

 Issue date
 11-21-2015

 Revision date
 05-06-2019

Version # 03

HMIS® ratings Health: 2*

Flammability: 2 Physical hazard: 0

Disclaimer

Vigon International, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, and disposal and should not be considered as a guarantee or quality specification. This product has not been evaluated for safe use in e-cigarettes or any vaping application where the product(s) is/are intentionally vaporized and inhaled. Vigon International, Inc. has performed no testing on these products in e-cig/vaping applications. It is the sole responsibility of the individual(s) purchasing this product to assess its' safety in the final application. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, disposal, and should not be considered as a guarantee or quality specification. The above information is based on data provided by and collected from recognized sources such as distributors, manufacturers, and technical groups and is considered to be accurate to the best of Vigon's knowledge as of the date of this document. It is the responsibility of the user to review all safety information about this product and determine its safety and suitability in their own processes and operations. Appropriate warnings and safe handling procedures should be provided to all handlers and users, taking into account the intended use and the specific conditions and factors relating to such use in accordance with all applicable laws and regulations.

Revision information

This document has undergone significant changes and should be reviewed in its entirety.